

**From:** [Young, Howard S.](#)  
**To:** [Zhen, Davis](#); [Scott Coffey](#)  
**Cc:** [Sheldrake, Sean](#)  
**Subject:** RE: Revised surface sediment docs  
**Date:** Wednesday, March 28, 2018 3:46:42 PM

---

Davis,

We can backcheck the documents as soon as we get them from you this afternoon/evening let you know if there are any unresolved comments.

Our oversight staff are still at the field kickoff meeting but I assume they will be able to print out the final version of the FSP and HASP addendum in the morning prior to going to contractors tailgate H&S meeting.

Howard S. Young, LG | CDM Smith

14432 SE Eastgate Way, Suite 100 | Bellevue, WA 98007-6493

T: 425.519.8300 | Direct 425.519.8351 | Cell 206.491.4663 | [younghs@cdmsmith.com](mailto:younghs@cdmsmith.com) |

[www.cdmsmith.com](http://www.cdmsmith.com)

---

**From:** Zhen, Davis [mailto:[Zhen.Davis@epa.gov](mailto:Zhen.Davis@epa.gov)]

**Sent:** Wednesday, March 28, 2018 2:55 PM

**To:** Coffey, Scott <[CoffeySE@cdmsmith.com](mailto:CoffeySE@cdmsmith.com)>; Young, Howard S. <[younghs@cdmsmith.com](mailto:younghs@cdmsmith.com)>

**Cc:** Sheldrake, Sean <[sheldrake.sean@epa.gov](mailto:sheldrake.sean@epa.gov)>

**Subject:** Revised surface sediment docs

Scott and Howard,

Just got off the call with Ken and was informed that they are making all of the requested changes per our call this morning. As such, they will likely send the revised/RLSO documents back to us around 5pm today. They are hoping to hear back from me today so they can get in water, but please let me know if the review cannot take place by the end of the day today.

Thanks,

\*\*\*\*\*

Davis Zhen

Environmental Cleanup Unit 2

Office of Environmental Cleanup

1200 Sixth Avenue Suite 900

M/S ECL – 122, Seattle, WA 98101

Tel: (206) 553-7660

Cell: (206) 437-5826

\*\*\*\*\*